

GROUND WATER PROSPECTS MAP

(PREPARED FROM SATELLITE IMAGE INTERPRETATION WITH LIMITED FIELD CHECKS)





SCALE - 1: 50,000 PURBA MEDINIPUR, HOWRAH & SOUTH 24 PARGANAS DISTRICTS, WEST BENGAL MAP SHEET NO. 79B/4 NRSC (ISRO), DEPT. OF SPACE, GOVT. OF INDIA DATA USED: IRS - P6 LISS III FCC dated September 2005-February 2006, GROUND TRUTH & WELL OBSERVATION during March-June, 2012 & Oct 2012-Jan 2013, Published Geological maps & Literatures. Designed & Developed by Hydrogeology Division, NRSC, ISRO LEGEND

							GE	<u>IN</u>	U					
MAP UNIT	GEOLOGICAL SEQUENCE / GEOMORPHIC DEPTH TO ROCK TYPE UNIT / LANDFORM WATER LEVEL CONDITIONS					GROUND WATER PROSPECTS						RECHARGE STRUCTURES SUITABLE &		
(NTDROGEOMORPHIC UNIT) REPRESENTED IN THE MAP WITH ALPHANUMERIC CODE (COLOUR INDICATES YIELD RANGE AND HATCHING INDICATE DEPTH RANGE)	(REPRESENTED IN THE MAP WITH NUMERIC CODE)		(REPRESENTED IN THE MAP WITH ALPHABETIC CODE)	PRE / POST- MONSOON (AVERAGE IN METERS) NO. OF WELLS OBSERVED	BASED ON AVAILABILITY OF WATER (RAINFALL & OTHER SOURCES)	FIR = FISSURED ROCK FR = FRACTURED ROCK WR /= WEATHERED ROCK / WM WEATHERED MATERIAL	TYPE OF WELLS SUITABLE DW = DUG WELL RW = RING WELL BW = BORE WELL TW = TUBE WELL DBW / = DUG CUM-BORE WELL DTW DUG CUM-TUBE WELL	DEPTH RANGE OF WELLS (SUGGESTED) MIN - MAX (IN METERS)	YIELD RANGE OF WELLS (EXPECTED) (in LPM or m / day)	F WELLS IN THE UNIT & SUCCESS RATE OF WELLS	NON - POTABLE (NP)	GROUND WATER IRRIGATED AREA (APPROX. RANGE IN PERCENTAGE)	PRIORITY PT = PERCOLATION TANK CD = CHECK DAM NB = NALA BUND RW = RECHARGE WELL DT = DESILTING OF TANK RP = RECHARGE PIT SD = SUBSURFACE DYKE RS = RECHARGE SHAFT ST = STORAGE TANK SCM = SOIL CONSERVATION MEASURES	REMARKS (PROBLEMS/LIMITATIONS)
CB111	nt day Deposits		Channel Bar (CB)	No well observed	Excellant	LS	RW TW	5-10 m	400-500 LPM	Very High	P	Nil	Not Required	Groundwater prospects very high with high recharge potential. Recharge structures not required.
RI111	thi Formation/Preser (Present Day)	Alluvium (Sand Dominant) (111)	River Island (RI)	No well observed	Excellant	LS	RW TW	5-10 m	400-500 LPM	Very High	P	Nil	Not Required	Groundwater prospects very high with high recharge potential. Recharge structures not required.
FIP 1 11	Hugli/Bhagira		Flood Plain (FP)	No well observed	Very Good	LS	TW	>150 m	>800 LPM	Very High	NP (Salinity) [At shallow depth]	0.21	Not Required	Areas with high Arsenic concentrati Potable water available at depth range above 150 m.
DPY112	Active Estuarine Deposits (Present Day)	Alluvium (Sand and Silt) (112)	Deltaic Plain Younger (DPY)	9/6	Good	LS	TW	>250 m	>800 LPM	High	NP (Salinity) [At shallow depth]	14.1	Not Required	Areas affected by salt water intrusic Fresh water available at depth rang >250m
	Panskura/Arambagh Formation (Early to Late Holocene)	Alluvium (Sand and Silt) (113)	Alluvial Plain Younger (APY)	11 / 7 10	Good	LS	TW	>150 m	500-600 LPM	High	NP (Salinity) [At shallow depth]	34.2	Not Required	Areas with high Arsenic concentra Potable water available at depth range above 150 m.
CF013	ne Deposits	Alluvium (Sand,Silt & Clay) (13)	Coastal Plain Older (CPO)	11 / 7 17	Good	LS	TW	150-250 m	600-800 LPM	High	NP (Salinity) [At shallow depth]	21.9	RW Moderate to High	Areas affected by saline water intrusion.Fresh water aquifers found at depth ranges of 150m and above.
DPO13	Ancient Estuarin		Deltaic Plain Older (DPO)	10 / 6 5	Good	LS	TW	>250 m	600-800 LPM	High	NP (Salinity) [At shallow depth]	14.1	RW Moderate to High	Areas affected by saline water intrusion.Fresh water aquifers found at depth ranges of 250m and above.
Ff//			zones, which generally act as	s conduits for movement of	ground water in hard r	ocks. Along these zones, the y	yields are significantly highe	r and wells are likely	to be sustainable for	longer duration. How	ever, the inferred fract	ures need to be co	nfirmed by detailed ground surveys	S.
D D /Q Q /	PP	These are dykes, qu	uartz reefs and pegmatite	veins, which generally a	act as barriers for gr	ound water movement.	Mud	Flat (MF 12)	s not used for	groungwater	extraction.			
	N.BThe	depth range and yield range of w	vells may vary within the u	nit because of certain in	homogeneities. Frac	tures/Lineaments which ar	re clearly observed / inferr	red from the satelli	te image are indica	ted on the map. The	ere could be some o	bscured fracture	es which also influence the gro ydrogeological/geophysical su	und water prospects.

GROUND WATER PROSPECTS INFORMATION	HYDROLOGICAL INFORMATION	STRUCTURAL INFORMATION	BASE MAP INFORMATION	LOCATION INFORMATION		
YIELD COLOUR DEPTH RANGE OF WELLS	DESCRIPTION SYMBOL	DIPS BEDDING SCHISTOSITY/ FOLIATION	SYMBOL DESCRIPTION	STATE INDEX DISTRICT INDEX		
RANGE CODE SHALLOW MODERATE DEEP	CANAL / TANK IRRIGATED AREA	GENTLE (<15)	NH - 2 NATIONAL HIGHWAY	A-BIRBHUM B-BARDDHAMAN		
OF WELLS <30 METERS 30 - 80 METERS >80 METERS	GROUND WATER IRRIGATED AREA	MODERATE (15 - 45)		C-PURULIYA D-BANKURA N		
>800 LPM VIOLET	RIVER / STREAM (with sand)	STEEP (45 - 80)	SH - 9 STATE HIGHWAY	E-PASCHIM MEDINIPUR F-PURBA MEDINIPUR G-SOUTH 24 PARGANAS		
	WATER BODY / SPRING	SUB - VERTICAL TO VERTICAL (> 80)	METALLED ROAD	H-HOWRAH I- KOLKATA J-N24 PARGANAS		
400 - 800 LPM INDIGO	CANAL	ANTICLINE / ANTIFORM ←←		INDIA		
	RAIN GUAGE STATION (With average annual rainfall in mm)	AUTIOEINE / AUTII OKIM	OTHER ROAD	C D B		
200 - 400 LPM BLUE	RECHARGE STRUCTURES SUGGESTED	SYNCLINE / SYNFORM ←	RAILWAY	WEST K		
	PERCOLATION TANK CHECK DAM NALA BUND RECHARGE WELL	TOTALDUNG	- 	BENGAL K-HUGLI		
100 - 200 LPM GREEN	DESILTING OF TANK O RECHARGE PIT	TREND LINE	CITY / VILLAGE	L-NADIA M-MURSHIDABAD		
	SUBSURFACE DYKE	ESCARPMENT		N-MALDA		
50 - 100 LPM YELLOW	WELLS OBSERVED DURING FIELD VISIT	LITHOLOGY / GEOMORPHIC UNIT	HABITATIONS : NON - COVERED (NC) PARTIALLY COVERED (PC)			
	IN LPM TUBE WELL IN m ³ / day RING WEL	BOUNDARY		BLOCK INDEX MAPSHEET INDEX		
	> 800 LPM	FAULT E E E	BOUNDARY:			
30 - 50 LPM ORANGE	200 - 400 LPM	_	INTERNATIONAL	H10 G12 73N15 79B03 79B0		
	100 - 200 LPM + 15/70 50 - 100 m ³ / day	FRACTURE / LINEAMENT	STATE DISTRICT	F10 G11		
20 - 30 LPM BROWN	50 - 100 LPM	FRACTURE / LINEAMENT		73N16 79B04 79B0		
10 - 20 LPM PINK	30 - 50 LPM	(Inferred)		10000 1000 1000		
10 - 20 LPM PINK	20 - 30 LPM		OTHER INFORMATION	G18 73013 79C01 79C		
Prospects limited to valley	10 20 21 1111 1			F13		
portions only (Hills, Plateaus	Colour inside well symbol indicates yield range. The figures on the top right	QUARTZ REEF (Confirmed / Inferred)	Rainfall : 1703 mm	GIT		
etc.) RED	hand side of well indicate the depth to water level and depth of well in meter DUG - CUM- BORE WELL HAND PUMP WELL	PEGMATITIE VEIN (Confirmed / Inferred)	(Source IMD)	F10-MAHISHDAL G17-KAKDWIP F13-NANDIGRAM I G18-KULPI F14-NANDIGRAM II G11-DIAMOND HARBOUR I F23-SUTAHATA I G12-DIAMOND HARBOUR II		
Run-off zone/ Barrier for G.W. movement (Inselberg / Ridge / Dyke etc.)	ARTESIAN WELL OBSERVATION WELL OF G.W DEPT. / C.G.W.B.	Lithologic contacts are inferred at places & Geomorphic boundarie	(Source IMD)	F24-SUTAHATA II H10-SYAMPUR I		
PREPARED BY	TECHNICAL GUIDANCE & QUALITY CHECK	PARTICIPATING ORGANIZATIONS	METHODOLOGY & PROJECT EXECUTION	SPONSORED BY		
GEOINFORMATICS & REMOTE SENSING CELL	डसरो डिंग्ड		इसरो ंडान्व	RAJIV GANDHI NATIONAL DRINKING WATER MISS		
B. STATE COUNCIL OF SCIENCE AND TECHNOLOGY	NAI IONAL REMOTE SENSING CENTRE	SURVEY OF INDIA	NATIONAL REMOTE SENSING CENTRE	(PHASE IV)		
DEPARTMENT OF SCIENCE AND TECHNOLOGY GOVERNMENT OF WEST BENGAL	INDIAN SPACE RESEARCH ORGANISATION (ISR	GEOLOGICAL SURVEY OF INDIA O) PHED, GOVT. OF WEST BENGAL	INDIAN SPACE RESEARCH ORGANISATION (ISRO)	DEPARTMENT OF DRINKING WATER & SANITATIO		
4TH FLOOR, BIKASH BHAVAN	DEPT. OF SPACE, GOVT. OF INDIA	STATE WATER INVESTIGATION DIRECTORATE, GO	WB DEPT. OF SPACE, GOVT. OF INDIA	MINISTRY OF DRINKING WATER & SANITATION GOVERNMENT OF INDIA NEW DELHI		
SALT LAKE, KOLKATA 700 091	BALANAGAR, HYDERABAD - 500 625	P.S.MAPS (LAND RECORD), GOVT OF WEST BENG	AL BALANAGAR, HYDERABAD - 500 625			