GROUND WATER PROSPECTS MAP

(PREPARED FROM SATELLITE IMAGE INTERPRETATION WITH LIMITED FIELD CHECKS)

N
W E
S

Kilometers
0 1 2 3 4 5

SCALE - 1 : 50,000

MAP SHEET NO. 73N/11

PURBA MEDINIPUR & PASCHIM MEDINIPUR DISTRICTS, WEST BENGAL



 DATA USED : IRS - P6 LISS III FCC dated September 2005-February 2006,GROUND TRUTH & WELL OBSERVATION during March-June, 2012 & Oct 2012-Jan 2013,Published Geological maps & Literatures. *Designed & Developed by Hydrogeology Division, NRSC, ISRO*

L E G E N D

MAP UNIT (HYDROGEOMORPHIC UNIT) REPRESENTED IN THE MAP WITH ALPHANUMERIC CODE (COLOUR INDICATES YIELD RANGE AND HATCHING INDICATE DEPTH RANGE)	GEOLOGICAL SEQUENCE / ROCK TYPE (REPRESENTED IN THE MAP WITH NUMERIC CODE)	GEOMORPHIC UNIT / LANDFORM (REPRESENTED IN THE MAP WITH ALPHABETIC CODE)	DEPTH TO WATER LEVEL PRE / POST- MONSOON (AVERAGE IN METERS) / NO. OF WELLS OBSERVED	RECHARGE CONDITIONS BASED ON AVAILABILITY OF WATER (RAINFALL & OTHER SOURCES)	GROUND WATER PROSPECTS: AQUIFER MATERIAL (LS = LOOSE SEDIMENTS; CS = CONSOLIDATED ROCK; FR = FISSURED ROCK; FR = FRACTURED ROCK; WR = WEATHERED ROCK / WW = WEATHERED MATERIAL; IR = IMPERVIOUS ROCK)	GROUND WATER PROSPECTS: TYPE OF WELLS SUITABLE (DW = DUG WELL; BW = BWG WELL; TW = TUBE WELL; CDW = DUG CUM-BORE WELL / DTW = DUG CUM-TUBE WELL)	GROUND WATER PROSPECTS: DEPTH RANGE OF WELLS (SUGGESTED) MIN - MAX (IN METERS)	GROUND WATER PROSPECTS: YIELD RANGE OF WELLS (EXPECTED) (in LPM or m^3 / day)	GROUND WATER PROSPECTS: HOMOGENEITY IN THE UNIT & SUCCESS RATE OF WELLS (PROBABILITY) VERY HIGH HIGH MODERATE LOW	GROUND WATER PROSPECTS: QUALITY OF WATER POTABLE (P) NON - POTABLE (NP) (INDICATE REASONS IF NON POTABLE)	GROUND WATER PROSPECTS: GROUND WATER IRRIGATED AREA (APPROX . RANGE IN PERCENTAGE)	RECHARGE STRUCTURES SUITABLE & PRIORITY (PT = PERCOLATION TANK; CD = CHECK DAM; NB = NALA BUND; RW = RECHARGE WELL; DT = DESILTING OF TANK; CT = CONTOUR TRENCH; SD = SUBSURFACE DYKE; RS = RECHARGE SHAFT; ST = STORAGE TANK; SCM = SOIL CONSERVATION MEASURES)	REMARKS (PROBLEMS / LIMITATIONS)
CB111	Alluvium (Sand Dominant) (111) — Hugli/Bhagirathi Formation/Present day Deposits	Channel Bar (CB)	No well observed	Excellant	LS	RW TW	5-10 m	400-500 LPM	Very High	P	Nil	Not Required	Groundwater prospects very high with high recharge potential. Recharge structures not required.
PB111		Point Bar (PB)	No well observed	Very Good	LS	RW TW	5-10 m	300-400 LPM	Very High	P	Nil	Not Required	Groundwater prospects very high with high recharge potential. Recharge structures not required.
CM111		Cut-off Meander (CM)	No well observed	Very Good	LS	RW TW	10-15 m	200-300 LPM	Very High	P	Nil	Not Required	Potable water available at shallow depth.
FP111		Flood Plain (FP)	21 / 12 / 1	Very Good	LS	TW	>150 m	400-500LPM	Very High	P	0.32	Not Required	Areas of low groundwater potential. Better potential at greater depths.
FP111		Flood Plain (FP)	No well observed	Very Good	LS	TW	<30 m	200-250 LPM	Very High	P	100	Not Required	Potable water available at shallow depth.
APY113	Alluvium (Sand and Silt) (113) — Panskura/Arambagh Formation (Early to Late Holocene)	Alluvial Plain Younger (APY)	No well observed	Good	LS	RW TW	25-30 m	200-250 LPM	High	P	53.9	Not Required	Potable water available at depth range below 30m
APY113		Alluvial Plain Younger (APY)	13 / 8 / 15	Good	LS	TW	100-120 m	400-500 LPM	High	NP (As&Fe) [At shallow depth]	Nil	RW Low	Areas with high Arsenic and Iron concentration.Potable water available at depth range above100 m. Recharge of shallow aquifer recomended.
APO113	Alluvium (Silt and Clay) (113) — Sijua Formation (Late Pleistocene to Early Holocene)	Alluvial Plain Older (APO)	28 / 17 / 71	Moderate to Good	LS	TW	40-60 m	150-200 LPM	Moderate to High	P	45.6	RW Moderate to Low	Moderate groundwater potential at intermediate depths.

F____F/ ____/ – – –

These are fault / fracture zones, which generally act as conduits for movement of ground water in hard rocks. Along these zones, the yields are significantly higher and wells are likely to be sustainable for longer duration. However, the inferred fractures need to be confirmed by detailed ground surveys.

D____D /Q____Q / P____P
D– – –D /Q– – –Q / P– – –P

These are dykes, quartz reefs and pegmatite veins, which generally act as barriers for ground water movement.

N.B.-The depth range and yield range of wells may vary within the unit because of certain inhomogeneities. Fractures/Lineaments which are clearly observed / inferred from the satellite image are indicated on the map. There could be some obscured fractures which also influence the ground water prospects. Locations of the recharge structures shown in the map are tentative. This map is useful for narrowing down the target zones,and exact location on the ground for wells and recharge structures should be identified based on follow-up ground hydrogeological/geophysical surveys.

GROUND WATER PROSPECTS INFORMATION

YIELD RANGE OF WELLS	COLOUR CODE	DEPTH RANGE OF WELLS: SHALLOW (< 30 METERS)	MODERATE (30 - 60 METERS)	DEEP (> 60 METERS)
> 800 LPM	VIOLET			
400 - 800 LPM	INDIGO			
200 - 400 LPM	BLUE			
100 - 200 LPM	GREEN			
50 - 100 LPM	YELLOW			
30 - 50 LPM	ORANGE			
20 - 30 LPM	BROWN			
10 - 20 LPM	PINK			
Prospects limited to valley portions only (Hills, Plateau etc.)	RED			
Run-off zone/ Barrier for G.W. movement		(Inselberg / Ridge / Dyke etc.)		

HYDROLOGICAL INFORMATION

DESCRIPTION	SYMBOL
CANAL / TANK IRRIGATED AREA	
GROUND WATER IRRIGATED AREA	
RIVER / STREAM (with sand)	
WATER BODY / SPRING	
CANAL	
RAIN GUAGE STATION (With average annual rainfall in mm)	800

RECHARGE STRUCTURES SUGGESTED

PERCOLATION TANK		CHECK DAM	
NALA BUND		RECHARGE WELL	
DESILTING OF TANK		RECHARGE PIT	
SUBSURFACE DYKE		RECHARGE SHAFT	
SOIL CONSERVATION MEASURES		STORAGE TANK	

WELLS OBSERVED DURING FIELD VISIT

YIELD RANGE IN LPM	BORE / TUBE WELL	YIELD RANGE IN m^3/day	DUG WELL / RING WELL
< 800 LPM	15/73	> 400 m^3 / day	8/15
400 - 800 LPM	15/73	200 - 400 m^3 / day	8/15
200 - 400 LPM	15/73	100 - 200 m^3 / day	8/15
100 - 200 LPM	15/73	50 - 100 m^3 / day	8/15
50 - 100 LPM	15/73	25 - 50 m^3 / day	8/15
30 - 50 LPM	15/73	15 - 25 m^3 / day	8/15
20 - 30 LPM	15/73	10 - 15 m^3 / day	8/15
10 - 20 LPM	15/73	5 - 10 m^3 / day	8/15
< 10 LPM	15/73	< 5 m^3 / day	8/15

Colour inside well symbol indicates yield range. The figures on the top right hand side of well indicate the depth to water level and depth of well in meters

DUG - CUM- BORE WELL; HAND PUMP WELL; ARTESIAN WELL; OBSERVATION WELL OF G.W.DEPT. / C.G.W.B.

STRUCTURAL INFORMATION

DIPS	BEDDING	SCHISTOSITY/ FOLIATION
GENTLE (< 15)		
MODERATE (15 - 45)		
STEEP (45 - 80)		
SUB - VERTICAL TO VERTICAL (> 80)		

ANTICLINE / ANTIFORM; SYNCLINE / SYNFORM; TREND LINE; ESCARPMENT; LITHOLOGY / GEOMORPHIC UNIT BOUNDARY

	MINOR	MAJOR
FAULT	F F	F F
THRUST	T T	T T
FRACTURE / LINEAMENT		
FRACTURE / LINEAMENT (Inferred)		
SHEAR ZONE (Confirmed / Inferred)	S S	S S
DYKE (Confirmed / Inferred)	D D	D D
QUARTZ REEF (Confirmed / Inferred)	Q Q	Q Q
PEGMATITE VEIN (Confirmed / Inferred)	P P	P P

Lithologic contacts are inferred at places & Geomorphic boundaries are gradational

BASE MAP INFORMATION

SYMBOL	DESCRIPTION
NH - 2	NATIONAL HIGHWAY
SH - 9	STATE HIGHWAY
	METALLED ROAD
	OTHER ROAD
	RAILWAY
	CITY / VILLAGE
	HABITATIONS : NON - COVERED (NC) PARTIALLY COVERED (PC)

BOUNDARY : INTERNATIONAL; STATE; DISTRICT; BLOCK

OTHER INFORMATION

Rainfall : 1542 mm

(Source IMD)

LOCATION INFORMATION

STATE INDEX

DISTRICT INDEX



BLOCK INDEX

MAPSHEET INDEX

73N06	73N10	73N14
73N07	73N11	73N15
73N08	73N12	73N16

PREPARED BY
GEOINFORMATICS & REMOTE SENSING CELL
W.B. STATE COUNCIL OF SCIENCE AND TECHNOLOGY
DEPARTMENT OF SCIENCE AND TECHNOLOGY
GOVERNMENT OF WEST BENGAL
4TH FLOOR, BIKASH BHAVAN
SALT LAKE, KOLKATA 700 091

TECHNICAL GUIDANCE & QUALITY CHECK
NATIONAL REMOTE SENSING CENTRE
INDIAN SPACE RESEARCH ORGANISATION (ISRO)
DEPT. OF SPACE, GOVT. OF INDIA
BALANAGAR, HYDERABAD - 500 625

PARTICIPATING ORGANIZATIONS
SURVEY OF INDIA
GEOLOGICAL SURVEY OF INDIA
PHED, GOVT. OF WEST BENGAL
STATE WATER INVESTIGATION DIRECTORATE, GOWB
P.S.MAPS (LAND RECORD), GOVT OF WEST BENGAL

METHODOLOGY & PROJECT EXECUTION
NATIONAL REMOTE SENSING CENTRE
INDIAN SPACE RESEARCH ORGANISATION (ISRO)
DEPT. OF SPACE, GOVT. OF INDIA
BALANAGAR, HYDERABAD - 500 625

SPONSORED BY
RAJIV GANDHI NATIONAL DRINKING WATER MISSION (PHASE IV)
DEPARTMENT OF DRINKING WATER SUPPLY (DDWS)
MINISTRY OF DRINKING WATER & SANITATION
GOVERNMENT OF INDIA
NEW DELHI